



638



OMEGA 638 Aceite de Mantenimiento Grado Alimenticio 4 en 1

Food Grade 4-in-1 Maintenance Oil

- *Mezclada con ingredientes que tiene la aprobación USDA-H1 para contacto incidental con alimentos .*
- *Acción cuatro en uno – lubrica, penetra, desplaza agua y previene la herrumbre.*
- *Ideal para servicio y mantenimiento personal en la industria de alimentos, bebidas, hospedaje y diversión.*

TRUST *Save Money*
OMEGA *Enhance Performance*
TO *Extend Service Life*

MAGNA INDUSTRIAL CO. LIMITED
Total Quality Maintenance



OMEGA MANUFACTURING DIVISION

SPECIAL BENEFITS

Omega 638 is blended from materials that have USDA-H1 approval for incidental food contact. It is transparent, non-toxic and non-staining making it ideal for industries where safety and health is paramount.

- **Omega 638** has a four in one action – lubricates, penetrates to loosen “frozen” bolts and nuts, displaces water and prevents rust.
- **Omega 638** can be used as temporary corrosion protection before applying anti-corrosion coating or electroplating.
- **Omega 638** will not harm plastics, paint work, vinyl, leather and rubber.

OUTSTANDING PROPERTIES

Omega 638 is an universal maintenance lubricant that:

- Has low surface tension to displace water with penetrating action that forces moisture / water out of metal components.
- It frees “frozen” rusty bolts and nuts
- This product is ideal where clean environment dictates non-staining, non-toxic and odourless lubrication application.
- It is easy to apply with a brush, sprayer or in a dip tray.


USE FOR

Omega 638 offers short-term protection to metal surfaces against corrosion caused by oxidation, moisture or high humidity.

Omega 638 is useful for environments that need a colourless and non-staining, non-toxic short-term rust preventive coating.

Omega 638 can be used as a light lubricant on machinery and equipment found in bottling plants, food manufacturing, hospitals, schools, fish processing, and other factories that needs a clean and safe environment.

Omega 638 is also acceptable for use in the cosmetic, pharmaceutical and sanitary industries.



Omega

The Ultimate Lubricant

*Magna Industrial reserves the right to modify or change this product for purposes of improving its performance characteristics.
© 2001 Magna Industrial Co. Limited.*

™ - The Omega™ trade mark is the property of Magna Industrial Company Limited and its associated companies

MAGNA INDUSTRIAL CO. LIMITED
Total Quality Maintenance



638



OMEGA 638 Aceite de Mantenimiento Grado Alimenticio 4 en 1

Food Grade 4-in-1 Maintenance Oil

- *Mezclada con ingredientes que tiene la aprobación USDA-H1 para contacto incidental con alimentos .*
- *Acción cuatro en uno – lubrica, penetra, desplaza agua y previene la herrumbre.*
- *Ideal para servicio y mantenimiento personal en la industria de alimentos, bebidas, hospedaje y diversión.*

TRUST *Save Money*
OMEGA *Enhance Performance*
TO *Extend Service Life*

MAGNA INDUSTRIAL CO. LIMITED
Total Quality Maintenance



OMEGA MANUFACTURING DIVISION

SPECIAL BENEFITS

Omega 638 is blended from materials that have USDA-H1 approval for incidental food contact. It is transparent, non-toxic and non-staining making it ideal for industries where safety and health is paramount.

- **Omega 638** has a four in one action – lubricates, penetrates to loosen “frozen” bolts and nuts, displaces water and prevents rust.
- **Omega 638** can be used as temporary corrosion protection before applying anti-corrosion coating or electroplating.
- **Omega 638** will not harm plastics, paint work, vinyl, leather and rubber.

OUTSTANDING PROPERTIES

Omega 638 is an universal maintenance lubricant that:

- Has low surface tension to displace water with penetrating action that forces moisture / water out of metal components.
- It frees “frozen” rusty bolts and nuts
- This product is ideal where clean environment dictates non-staining, non-toxic and odourless lubrication application.
- It is easy to apply with a brush, sprayer or in a dip tray.


USE FOR

Omega 638 offers short-term protection to metal surfaces against corrosion caused by oxidation, moisture or high humidity.

Omega 638 is useful for environments that need a colourless and non-staining, non-toxic short-term rust preventive coating.

Omega 638 can be used as a light lubricant on machinery and equipment found in bottling plants, food manufacturing, hospitals, schools, fish processing, and other factories that needs a clean and safe environment.

Omega 638 is also acceptable for use in the cosmetic, pharmaceutical and sanitary industries.



Omega

The Ultimate Lubricant

*Magna Industrial reserves the right to modify or change this product for purposes of improving its performance characteristics.
© 2001 Magna Industrial Co. Limited.*

™ - The Omega™ trade mark is the property of Magna Industrial Company Limited and its associated companies

MAGNA INDUSTRIAL CO. LIMITED
Total Quality Maintenance